

teletronik®

LED technology

LED STRIPLIGHTS - ACCESSORIES





LDST-SWPCONT-RATOW

Dimmer

LDST-SWPCONT-RATOW 4 pole dimmer with radio remote (touch jog)



LDST-SWPCONT-RATOB

Controller

LDST-SWPCONT-RATOB 4 pole RGB controller with radio remote (touch jog) 12V DC (maximum 144W)



LDST-SWPCONT-IR24

Controller

LDST-SWPCONT-IR24 4 pole RGB controller with radio remote (24 key) 12V DC (maximum 144W)



LDST-SWPREPE-RGBD

Repeater

LDST-SWPREPE-RGBD 3 channel repeater 12/24V DC (4A / channel)



LPSU-SWP12V-24W



LPSU-SWP12V-30W



LPSU-SWP12V-60W



LPSU-SWP12V-96W

Indoor power supplies	Input Voltage (V)	Output power (W)	Dimensions (L) × (W) × (H)
LPSU-SWP12V-24W	12	24	150 x 95 x 40mm (210g)
LPSU-SWP12V-30W	12	30	150 x 95 x 40mm (230g)
LPSU-SWP12V-60W	12	60	150 x 95 x 40mm (340g)
LPSU-SWP12V-96W	12	96	200 x 85 x 75mm (615g)